

Northeast Wisconsin Technical College  
 Medical Laboratory Technician  
 Measures of Program Outcomes

<b>MLT ASCP BOC Certification Pass Rates</b>				
Students graduating in	Total # graduates	# sat for BOC within 1 year	# pass BOC within 1 year	Yearly Certification Pass Rate
2020	9	9	9	100%
2021	9	8	8	100%
2022	9	9	9	100%
2023	7	7	7	100%

Three Year Average Certification Pass Rate: 100%

<b>MLT Graduation and Attrition Rates</b>						
Students slated to graduate in	# began 2 <sup>nd</sup> half of program	# left 2 <sup>nd</sup> half of program	# left 2 <sup>nd</sup> half of program but still enrolled in program	# began 2 <sup>nd</sup> half of program and graduated	Yearly attrition rate	Yearly graduation rate
2021	9	0	0	9	0%	100%
2022	10	1	0	9	10%	90%
2023	9	1	1	7	11%	88%

Three Year Average Graduation Rate: 93%

<b>MLT Placement Rates – Employment after Graduation</b>					
Students graduated in	Total Number of Graduates	# found employment in field or continued education	# did neither	# with no information	Yearly placement rate
2020	9	8	1	0	89%
2021	9	8	1	0	89%
2022	9	9	0	0	100%
2023	7	7	0	0	100%

Three Year (2019- 2022) Average Placement Rate: 93%